

# CURRICULUM VITAE



## **ARSHAD JAMAL**

E-MAIL:- [arshad.jamal01@gmail.com](mailto:arshad.jamal01@gmail.com)  
[arshad.jamal0111@gmail.com](mailto:arshad.jamal0111@gmail.com)

Mob No: +91-8603946306  
+966-535898205

### **PERMANENT ADDRESS**

Vill:- TILAIYA  
PS:- GIDHAUR  
PO:-DUWARI  
DIST :-CHATRA  
STATE:- JHARKHAND  
ZIP CODE:-825408

---

### ➤ **CAREER OBJECTIVE**

To leverage my **BGAS Grade 2 certification** and experience as a Painting Inspector, with a strong focus on **painting and coating inspection** in Saudi Arabia's oil, gas, and construction sectors. Experienced in surface preparation, coating application, and inspection in compliance with standards such as **SAES-H-001, SAES-H-101, 12-SAMSS-007 and ISO 12944**. Skilled in monitoring environmental conditions, DFT measurements, surface profile, adhesion testing, and coating defect identification. Committed to ensuring high-quality coating systems, corrosion protection, and full compliance with project specifications through effective inspection, reporting, and coordination while strictly adhering to HSE requirements.

### ➤ **Experience Summary:**

- **Dolphin International Steel Co. Ltd**, Jubail, Saudi Arabia  
Working as a Painting Inspector from June 2023 to till date.
- **KAVERI ENERGY PVT. LTD.**  
Worked as a QA/QC Engineer from July 2020 to May 2023.
- **JRD ENGINEERING PVT. LTD.**  
Worked as a QA/QC Engineer from July 2018 to May 2020.

➤ **Professional Qualifications:**

- **B.Gas Gr. 2 – Coating Inspector**
- **AGA Certificate**
- **NDT Level 2**

➤ **Responsibilities**

- Ensuring the products meet the specified requirements and attain the required level of quality, completion of the relevant Quality controls inspection Reports.
- Verify & Checking (G.I.2.100) Work Permit Systems prior to start of blasting & Coating activities.
- Review & Checking Applicator Certificate, Verification of blasting/Painting equipment condition, calibration certificate of instruments.
- Monitor Weather Conditions, Air Temperature, Dew Point, Relative Humidity & Surface temperature prior to abrasive blasting & painting activities.
- Checking & Inspection of Surface Profile (Degree of Roughness), Degree of cleanliness, Mechanical Faults (Lamination & Weld Joints) & Residual Chloride Contamination prior to application of paints.
- Material receiving inspection at painting ware house to ensure that painting materials are supplied as per specifications and stored in dry and well-ventilated rooms as per the manufacturer instructions.
- Random inspection of manufacturer's label, batch numbers, order numbers, date of manufacture & shade etc.
- Surface preparation prior to painting, monitor the surface preparation works prior to prime coat to ensure that the surface shall be free from contamination like welding slag, welding spatter, dust, oil, greese, slats and make sure that blasted surface profile achieved accordance to project specification, check the degree of cleanliness, surface profile etc.
- Inspection and monitor the weather conditions and verify the humidity, dew point temperature, surface temperature etc.
- Maintain record Inspection report- RFI for surface profile (replica tape) and ambient conditions, relative humidity and the type of abrasive.
- Inspection of primer coating after surface preparation check, witness WFT (Wet film thickness) record DFT (Dry film thickness) documentation.
- Monitoring and inspection surface preparation blasting and painting to ensure and check abrasive, surface profile, coating environmental condition and perform test such as holiday test, adhesion test (after the coating process will quantify the strength of the bond between substrate and coating).
- Maintain daily activities and reported.
- Monitoring of Painting sub-contractors activities to achieve the Project Quality requirement.
- Wet film thickness shall be measured to eliminate major rectification to meet required DFT on random basis with Comb Gauge or eccentric wheel immediately after paint application.

- Dry film thickness shall be measured after the adequate hardening or curing of the coating the thickness of each individual layer should be measured. The colour of the top coat shall be checked by comparison with colour chart like RAL colour chart.
- Conduct the site inspection at all stages and prepare the non conformance and collective action reports.
- Monitoring implementation of contract quality plan.
- Calibration of test equipment and verify the Calibration record.
- QA/QC documentation and make final inspection test and final package.

➤ **ACADEMIC QUALIFICATIONS**

- **MECHANICAL ENGINEERING**  
BHARATH INSTITUTE OF HIGHER EDUCATION AND RESEARCH (CHENNAI)
- **INTERMEDIATE**  
D.A.V PUBLIC SCHOOL, DHANBAD (CBSE).
- **HIGH SCHOOL**  
D.A.V PUBLIC SCHOOL, DHANBAD (CBSE).

➤ **PERSONAL DETAILS**

Date of Birth	: 21 <sup>st</sup> April , 1997
Sex	: Male
Nationality	: Indian
Marital Status	: Single
Language Known	: English, Hindi
Passport no.	: T9112595



**ARSHAD JAMAL**

**BGAS-CSWIP PAINTING INSPECTOR  
GRADE 2**

**Expiry Date: 8 June 2028**

TWI Certification Ltd  
Granta Park, Gt Abington  
Cambridge, CB21 6AL UK  
Tel: +44 (0) 1223 899000

**BG: 0000782167**

*This card is the property of TWI Certification Ltd and must be surrendered on demand.  
It is not valid without the official BGAS-CSWIP certificate.*

# ***Certificate of Completion***

*This certificate recognizes*

**ARSHAD JAMAL**

name

*completed the American Galvanizers Association's*

*online Inspection Course on* Dec. 7, 2023.

date



American Galvanizers Association  
*Protecting Steel for a Sustainable Future*

[www.galvanizeit.org](http://www.galvanizeit.org)

A handwritten signature in black ink that reads "Tom Langill". The signature is written in a cursive, flowing style.

Thomas Langill, Ph. D., Technical Director  
American Galvanizers Association





KAVERI ENERGY PVT. LTD.

Date:-31.05.2023

## **TO WHOM IT MAY CONCERN**

This is to certify that Mr. Arshad Jamal was working with our organization from 01<sup>st</sup> July 2020 to 30<sup>th</sup> May 2023. He has moved ahead for better prospects

He was working as QA/QC Engineer. During his tenure of service he was found sincere and hardworking.

This certificate is issued at the specific request of the said employee without any risk and responsibility on our part or any of the company officials in respect whatsoever more particularly either as guarantor or otherwise.

We wish him all the best and success in his personal as well as professional life.

For & Behalf of Kaveri Energy Pvt. Ltd.

*Belmusa*

# JRD ENGINEERS

MANUFACTURERS OF PRESSURE VESSELS, HEAT EXCHANGERS REACTORS,  
PIPING EQUIPMENT & STRUCTURAL  
Supriya House, Plot No.50 Sector- 2A Koper khairne, Navi Mumbai - 400709

Ref No: JRD/20-21/23


DATE: 31/05/2020

## TO WHOM IT MAY CONCERN

This is to certify that **MR. ARSHAD JAMAL** has been working with our concern At our (MGL), site as a “ **QA/QC Engineer** “during from **JULY 2018 TO May 2020**

In the working period he was found to be very sincere, honest punctual and hardworking His conduct is very good and his work was satisfactory.


We wish him all the success in his future career

**FOR JRD ENGINEERS**  
**FOR JRD ENGINEERS**  
  
**Proprietor/Authorised Signatory**



# Bharath

Institute of Higher Education and Research  
வினியோக அறிவுக் கல்வி ஆய்விதழ்  
(Declared as Deemed-to-be University, via 3 of the UGC Act, 1956)



## FACULTY OF ENGINEERING

The Board of Management of the Bharath Institute of Higher Education and Research hereby makes known that **ARSHAD JAMAL** born on **21-Apr-1997** in has been admitted as a **FULL TIME** Candidate to the Degree of **BACHELOR OF TECHNOLOGY** in **MECHANICAL ENGINEERING** having satisfactorily completed the prescribed programme of study and having been certified by duly appointed examiners to have qualified to receive the same and has been placed in **FIRST CLASS** at the Examination held in **MAY 2018** with  
Registration Number : **U14ME043**.  
Medium of Instruction : **ENGLISH**



Given under the seal of **BIHER**

Date : **09 FEB 2019**

*[Signature]*  
CONTROLLER OF EXAMINATIONS

*[Signature]*  
REGISTRAR

*[Signature]*  
VICE-CHANCELLOR



VERIFIED AND AUTHENTICATED  
*A.S. Perianayagi*  
A.S. PERIANAYAKI *09/06/2023*  
UNDER SECRETARY TO GOVERNMENT  
PUBLIC (FOREIGNERS) DEPARTMENT  
GOVERNMENT OF TAMIL NADU  
CHENNAI-600 009, INDIA

Govt. Lr. No: 3608... Dt: 5/6/23  
Ref: *verified with e. sarad*  
*form: 10000 57372301*

Date: 25/5/23

*Concur*  
*5/6/23*

Verified by	<i>J. Srij</i>
Checked by	<i>M.P. A. U.</i>

# FOUR M CONSULTING ENGINEERS & SERVICES



## SCHOOL OF NDT, WELDING, PAINTING

Shop No. 7, Plot No. 16, Raj Palace Building, Sector -2, Koparkhairane, Navi Mumbai - 400 709. | Mob.: 8452806621 | E-mail : fourmeng2018@gmail.com

Certificate No. FCES/RT/1745/A/2019

Certificate

Issue Date : 19/01/2019

*This is To Certify*

Mr. ARSHAD JAMAL

of SELF

*has demonstrated his ability successfully in both written and practical examinations in accordance with the ASNT written Practice Document No. SNT-TC-1A 2011 Subcommittee Edition in the following discipline and level shown below*

Method : **RADIOGRAPHIC TESTING.**

Level : **II**

Results	Grade
General Examination	82
Specific Examination	81
Practical Examination	83
Composite	82%
Near Vision	J2
Colour Blindness	Nil
Training Hours	80

Examinee's Signature



Examiner's Signature

*The Certificate issued is valid for maximum of 5 years from the above date.*

# FOUR M CONSULTING ENGINEERS & SERVICES



## SCHOOL OF NDT, WELDING, PAINTING

Shop No. 7, Plot No. 16, Raj Palace Building, Sector -2, Koparkhairane, Navi Mumbai - 400 709. | Mob.: 8452806621 | E-mail : fourmeng2018@gmail.com

Certificate No. FCES/MT/1746/A/2019

**Certificate**

Issue Date : 19/01/2019

*This is To Certify*

Mr. ARSHAD JAMAL

of SELF

*has demonstrated his ability successfully in both written and practical examinations in accordance with the ASNT written Practice Document No. SNT-TC-1A 2011 Subcommittee Edition in the following discipline and level shown below*

**Method : MAGNETIC PARTICLE TESTING**

**Level : II**

Results	Grade
General Examination	81
Specific Examination	80
Practical Examination	82
Composite	80%
Near Vision	J2
Colour Blindness	Nil
Training Hours	40



Examinee's Signature



Examiner's Signature

*The Certificate issued is valid for maximum of 5 years from the above date.*

# FOUR M CONSULTING ENGINEERS & SERVICES



SCHOOL OF NDT, WELDING, PAINTING

Shop No. 7, Plot No. 16, Raj Palace Building, Sector -2, Koparkhairane, Navi Mumbai - 400 709. | Mob.: 8452806621 | E-mail : fourmeng2018@gmail.com

Certificate No. FCES/UT/1747/A/2019

**Certificate**

Issue Date : 19/01/2019

*This is To Certify*

Mr. ARSHAD JAMAL

of SELF

*has demonstrated his ability successfully in both written and practical examinations in accordance with the ASNT written Practice Document No. SNT-TC-1A 2011 Subcommittee Edition in the following discipline and level shown below*

**Method : ULTRASONIC TESTING.**

**Level : II**

Results	Grade
General Examination	81
Specific Examination	83
Practical Examination	82
Composite	82%
Near Vision	J2
Colour Blindness	Nil
Training Hours	80



Examinee's Signature



Examiner's Signature

*The Certificate issued is valid for maximum of 5 years from the above date.*

# FOUR M CONSULTING ENGINEERS & SERVICES



SCHOOL OF NDT, WELDING, PAINTING

Shop No. 7, Plot No. 16, Raj Palace Building, Sector -2, Koparkhairane, Navi Mumbai - 400 709. | Mob.: 8452806621 | E-mail : fourmeng2018@gmail.com

Certificate No. FCES/PT/1748/A/2019

Certificate

Issue Date : 19/01/2019

*This is To Certify*

Mr. ARSHAD JAMAL

of SELF

*has demonstrated his ability successfully in both written and practical examinations in accordance with the ASNT written Practice Document No. SNT-TC-1A 2011 Subcommittee Edition in the following discipline and level shown below*

Method : **PENETRANT TESTING.**

Level : **II**

Results	Grade
General Examination	80
Specific Examination	81
Practical Examination	83
Composite	81%
Near Vision	J2
Colour Blindness	Nil
Training Hours	40



Examinee's Signature



Examiner's Signature

*The Certificate issued is valid for maximum of 5 years from the above date.*